

Discussion example for BIBFRAME 'Item'

Jeff Young and Jean Godby

22 June 2015

Primary Entity

This is the primary entity described in this document.

```
<http://example.org/ds1/#Item1> # "Daguerreotypes collection 1840-1860"
  a bf:Item ;
  a schema:CreativeWork ;
  a schema:IndividualProduct ;
  bf:hasComponent <http://example.org/ds1/#Item2> ↗ ; # "item 2 (physical)"
  bf:hasComponent <http://example.org/ds1/#Item3> ↗ ; # "item 3 (physical)"
  bf:hasNote \_:A1 ; # "Daguerreotypes collection 1840-1860"
  bf:heldBy <http://example.org/ds1/#Organization1> ↗ ; # "Library of
Congress - Prints and Photographs Division"
  bf:usageAndAccess <http://example.org/ds1/#FunctionCondition1> ↗ ;
  rdfs:label "item 1 (a 'Compound Item')" ;
  schema:hasPart <http://example.org/ds1/#Item2> ↗ ; # "item 2 (physical)"
  schema:hasPart <http://example.org/ds1/#Item3> ↗ ; # "item 3 (physical)"
  schema:name "Daguerreotypes collection 1840-1860" ;
  schema:offers <http://example.org/ds1/#Offer1> ↗ ;
.
```

Related Entities

These are related entities referred to in this document.

```
<http://example.org/ds1/#Item3a> ↖ # "item 3a (digital)"
  a bf:Item ;
  a schema:ImageObject ;
  a schema:Photograph ;
  bf:electronicLocator
"http://hdl.loc.gov/loc.pnp/cph.3g11323"^^<http://www.w3.org/2001/XMLSchema#anyURI> ;
  bf:itemOf <http://example.org/ds1/#Instance1> ↗ ;
  rdfs:label "item 3a (digital)" ;
  schema:contentUrl
"http://hdl.loc.gov/loc.pnp/cph.3g11323"^^<http://www.w3.org/2001/XMLSchema#anyURI> ;
  schema:exampleOfWork <http://example.org/ds1/#Instance1> ↗ ;
.

_:A1 # Temporary blank node
  a bf:Note ;
  rdf:value "Daguerreotypes collection 1840-1860" ; # idiomatic diagnostic
.
```

```
<http://example.org/ds1/#Organization1> ↖ # "Library of Congress - Prints and
Photographs Division"
  a bf:Organization ;
```

```

a schema:Library ;
schema:address <http://example.org/ds1/#Address1> ↗ ;
schema:makesOffer <http://example.org/ds1/#Offer1> ↗ ;
schema:name "Library of Congress - Prints and Photographs Division" ;
schema:parentOrganization <http://example.org/ds1/#Organization2> ↗ ; #
"Library of Congress"
.

<http://example.org/ds1/#Organization2> ↙ # "Library of Congress"
a bf:Organization ;
a schema:Library ;
rdfs:label "DLC" ;
schema:name "Library of Congress" ;
schema:subOrganization <http://example.org/ds1/#Organization1> ↗ ; #
"Library of Congress - Prints and Photographs Division"
.

_:A0 # Temporary blank node
a bf:ShelfMark ;
rdf:value "DAG no. 1411" ; # idiomatic diagnostic
.

_:A2 # Temporary blank node
a bf:ShelfMark ;
rdf:value "DAG no. 1410" ; # idiomatic diagnostic
.

<http://example.org/ds1/#FunctionCondition1> ↙
a bf:UsageAndAccessCondition ;
a schema:BusinessFunction ;
bf:hasCondition <http://bibframe.example.com/condition/conditionX> ↗ ;
schema:description "Copyright and Other Restrictions apply" ;
.

<http://example.org/ds1/#Item3> ↙ # "item 3 (physical)"
a bf:Item ;
a schema:IndividualProduct ;
a schema:Photograph ;
bf:componentOf <http://example.org/ds1/#Item1> ↗ ; # "Daguerreotypes
collection 1840-1860"
bf:identifiedBy _:A0 ; # "DAG no. 1411"
bf:itemOf <http://example.org/ds1/#Instance1> ↗ ;
rdfs:label "item 3 (physical)" ;
schema:exampleOfWork <http://example.org/ds1/#Instance1> ↗ ;
schema:isPartOf <http://example.org/ds1/#Item1> ↗ ; # "Daguerreotypes
collection 1840-1860"
schema:serialNumber "DAG no. 1411" ;
.

<http://example.org/ds1/#Offer1> ↙
a schema:Offer ;
schema:businessFunction <http://example.org/ds1/#FunctionCondition1> ↗ ;
schema:itemOffered <http://example.org/ds1/#Item1> ↗ ; # "Daguerreotypes
collection 1840-1860"
schema:seller <http://example.org/ds1/#Organization1> ↗ ; # "Library of
Congress - Prints and Photographs Division"

```

.

```
<http://example.org/ds1/#Item2> ⏪ # "item 2 (physical)"
  a bf:Item ;
  a schema:IndividualProduct ;
  a schema:Photograph ;
  bf:componentOf <http://example.org/ds1/#Item1> ↗ ; # "Daguerreotypes
collection 1840-1860"
  bf:identifiedBy :A2 ; # "DAG no. 1410"
  rdfs:label "item 2 (physical)" ;
  schema:isPartOf <http://example.org/ds1/#Item1> ↗ ; # "Daguerreotypes
collection 1840-1860"
  schema:serialNumber "DAG no. 1410" ;
```

.

```
<http://example.org/ds1/#Address1> ⏪
  a schema:PostalAddress ;
  schema:addressCountry "US" ;
  schema:addressLocality "Washington, D.C." ;
  schema:postalCode "20540" ;
```

.

```
<http://example.org/ds1/#Instance1> ⏪
  a bf:Instance ;
  a schema:Photograph ;
  a schema:ProductModel ;
  schema:workExample <http://example.org/ds1/#Item3> ↗ ; # "item 3
(physical)"
  schema:workExample <http://example.org/ds1/#Item3a> ↗ ; # "item 3a
(digital)"
```

.